


# CAMSS 40EX58 SHELTER SYSTEM



• **TRIED AND TRUE** •

800 984 7678 | [WWW.CAMSS.COM](http://WWW.CAMSS.COM)





## THE BEST CHOICE FOR LARGE VEHICLE MAINTENANCE

The CAMSS40EX58 Shelter System is in use throughout Afghanistan and Iraq as large vehicle maintenance shelters. The CAMSS40EX58 is compact to ship (463L pallet compatible), fast to erect (does not require heavy equipment), and provides a large working area with two electric vertical lift vehicle doors measuring 30' wide by 15' high. The all aluminum frame prevents corrosion, reduces shipping weight and makes assembly faster and easier.

## A COMPLETE SYSTEM

The CAMSS40EX58 Shelter System measures 40' wide by 58' long with two (2) electric 30' wide by 15' high vertical lift truss doors and includes extreme temperature liner kit with plenums, HVAC ports, metal halide lighting, robust distribution panel with 20 Amp, 30 Amp and 60 Amp receptacles, aluminum personnel doors, anchoring kit, high wind kit and technical manual.

## QUICK SLIP FIT AND LIFT ASSEMBLY

The CAMSS40EX58 Shelter assembles in sections that slip fit and bolt together. All arches assemble together beginning with the peak. After the peak and ridges have been assembled together, mechanical lifts (included with tool kit) are used to make short lifts to attach eaves and uprights. This slip fit and lift assembly design allows the CAMSS40EX58 to be assembled without the use of heavy equipment by a crew of six in ten hours.







CAMSS40EX58  
SHELTER SYSTEM





## ELECTRIC LIFT TRUSS VEHICLE DOORS (30' Wide x 15' High)

The CAMSS40EX58 Shelter System comes equipped with two (2) electric lift vehicle doors providing large 30' wide by 15' high access on each end of the shelter. The vehicle doors lift up vertically to not interfere with interior or exterior space. These vertical lift doors also do not leave any interior area exposed to the sky and weather as with baby buggy style doors. Aluminum box truss beams make for a robust durable door.

## HEAVY DUTY FLOORING AND ECUs

The CAMSS40EX58 is available with heavy duty flooring. Flooring can support large vehicles and equipment. Flooring fits on 463L pallets and snaps together in place as flooring. The CAMSS 5-Ton Environmental Control Units are compatible with the CAMSS40EX58 HVAC ports and can plug into the 60 Amp receptacles provided with the distribution panel.

## QUOTES & ORDERING

Available on GSA Contract and DLA  
GSA Contract No. 47QSWA21D0004

800 984 7678  
[shelters@camss.com](mailto:shelters@camss.com)

Available for commercial  
as well as military users



## CONTACT US

800 984 7678  
www.camss.com  
shelters@camss.com

CAMSS Shelters  
P.O. Box 2459  
Kirkland, WA 98083

CAGE Code: 1M7W1  
Business Size: Small



Tan (P/N: CAMSS40EX5815T)



Green (P/N: CAMSS40EX5815G)

PLCAMSS40EX58.01